

## 38MM SAFETY LOCKS



- ✓ Durable, lightweight, non-conductive body withstands chemicals and performs effectively in extreme conditions from -57°C to +177°C
- ✓ 6mm chrome plated shackle for corrosion resistance
- ✓ Key-retaining feature ensures padlock security
- ✓ Includes write-on “Danger” and “Property of” labels
- ✓ Laser printed option available on up to 2 sides
- ✓ Keyed Alike custom configuration available



PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE	SHACKLE DIAMETER	SHACKLE OPENING HEIGHT
1SLRKD1K	38MM SAFETY LOCK RED KD ONE KEY	10	6mm	38mm
1SLYKD1K	38MM SAFETY LOCK YELLOW KD ONE KEY	10	6mm	38mm
1SLBKD1K	38MM SAFETY LOCK BLUE KD ONE KEY	10	6mm	38mm
1SLGKD1K	38MM SAFETY LOCK GREEN KD ONE KEY	10	6mm	38mm
1SLBKD1K	38MM SAFETY LOCK BLACK KD ONE KEY	10	6mm	38mm
1SLWHKD1K	38MM SAFETY LOCK WHITE KD ONE KEY	10	6mm	38mm
1SLPUKD1K	38MM SAFETY LOCK PURPLE KD ONE KEY	10	6mm	38mm



- ✓ Extended shackle height – 76mm
- ✓ Durable, lightweight, non-conductive body withstands chemicals and performs effectively in extreme conditions from -57°C to +177°C
- ✓ 6mm chrome plated shackle for corrosion resistance
- ✓ Key-retaining feature ensures padlock security
- ✓ Includes write-on “Danger” and “Property of” labels
- ✓ Laser printed option available on up to 2 sides
- ✓ Keyed Alike custom configuration available

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
1SLRKD1K-LS	38MM SAFETY LOCK RED KD ONE KEY - LONG SHACKLE	10

## 38mm WIRE SHACKLE SAFETY LOCK



- ✓ 304 stainless steel wire shackle
- ✓ Allows flexibility where standard shackle will not work
- ✓ Durable, lightweight, non-conductive body withstands chemicals and performs effectively in extreme conditions from -57°C to +177°C
- ✓ Key-retaining feature ensures padlock security

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
1SLRKD1K-WS	38MM SAFETY LOCK RED KD ONE KEY - WIRE SHACKLE	10


## 38mm NON-CONDUCTIVE SAFETY LOCK



- ✓ Non conductive high strength Nylon shackle
- ✓ Used where there are increased electrical hazards
- ✓ Durable, lightweight, non-conductive body withstands chemicals and performs effectively in extreme conditions from -57°C to +177°C
- ✓ Key-retaining feature ensures padlock security

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
1SLRKD1K-NCS	38MM SAFETY LOCK RED KD ONE KEY – NON-CONDUCTIVE SHACKLE	10

## SAFETY LOCKOUT HASPS



- ✓ Hasp is attached to energy disconnect switch
- ✓ Designed for complex isolation with multiple workers
- ✓ Multiple designs, sizes and material construction available

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE	PADLOCK CAPACITY
STHASP25	STEEL HASP 25MM	10	6
STHASP38	STEEL HASP 38MM	10	6
BFHASP	STEEL BUTTERFLY HASP	10	4
DBALHASP	DOUBLE END ALUMINIUM HASP 25/38MM	10	8

## AIR AND VALVE LOCKOUT DEVICES



- ✓ Designed to prevent the connection of male air fitting to pneumatic source.
- ✓ Fits most male air fittings
- ✓ Accommodates up to 2 safety locks or use hasp for multiple lock isolation
- ✓ Corrosion resistant Stainless steel construction

- ✓ Designed to prevent the connection of male air fitting to pneumatic source.
- ✓ Adjustable lockout to fit 25-165mm gate valves
- ✓ Accommodates 1 safety lock or use hasp for multiple lock isolation
- ✓ Engineered polypropylene construction



- ✓ Designed to isolate the handle and prevent the operation of ball valves.
- ✓ Adjustable lockout to fit 13-64mm pipes – product code ADJBVSMLOD
- ✓ Adjustable lockout to fit 50-200mm pipes – product code ADJBVLGLOD
- ✓ Accommodates 1 safety lock or use hasp for multiple lock isolation
- ✓ Engineered polypropylene construction

- ✓ Designed for use in multiple electrical, mechanical or pneumatic isolation applications
- ✓ Adjustable lockout device that accommodates up to 4 safety padlocks
- ✓ 1.8m steel cable that has PVC protective covering
- ✓ Impact resistant polycarbonate body construction
- ✓ Withstands temperature from -46C to 149C



PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
AIRLOD	AIR SOURCE LOCK OUT DEVICE 8-45mm	EACH
ADJGVLOD	ADJUSTABLE GATE VALVE LOCKOUT DEVICE 25-162.5mm	EACH
ADJBVSMLOD	ADJUSTABLE BALL VALVE LOCKOUT DEVICE 13-64mm	EACH
ADJBVLGLOD	ADJUSTABLE BALL VALVE LOCKOUT DEVICE 50-200mm	EACH
ADJCABLOD	ADJUSTABLE CABLE LOCKOUT DEVICE 1.8m	EACH



## ELECTRICAL LOCKOUT DEVICES



- ✓ Designed to isolate electrical circuit breakers with Pin In Standard design
- ✓ Engineered PA nylon construction
- ✓ Easily installed with push button design that accommodates 1 safety padlock
- ✓ Can be used with 1.8m Cable Lock out device (product code ADJCABLOD) if more than one CB Lockout device is required.

- ✓ Designed to isolate electrical circuit breakers with Pin Out Standard design
- ✓ Engineered PA nylon construction
- ✓ Easily installed with push button design that accommodates 1 safety padlock
- ✓ Can be used with 1.8m Cable Lock out device PN ADJCABLOD if more than one CB Lockout device is required.



- ✓ Designed to isolate small to medium sized MCCB or miniature electrical circuit breaker.
- ✓ Easily installed with locking screw that accommodates 1 safety padlock
- ✓ Can be used with 1.8m Cable Lock out device PN ADJCABLOD if more than one CB Lockout device is required.

- ✓ Designed to isolate a variety of electrical or pneumatic plugs
- ✓ Multi use design fits plugs up to 89mm diameter and 127mm long
- ✓ Accommodates 4 safety locks for multiple lock isolation
- ✓ Hard wearing ABS construction



PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
ELECPIS	MINIATURE CB PIN IN STANDARD (PIS) LOCKOUT	10
ELCPOS	MINIATURE CB PIN OUT STANDARD (POS) LOCKOUT	10
ELECMFMINICB	MULTIFUNCTIONAL MINIATURE CB LOCK OUT	10
ELECPLUGLKOUT	ELECTRICAL PLUG LOCKOUT	EACH




## GROUP LOCKOUT DEVICES



- ✓ Used during complex isolation tasks involving multiple workers
- ✓ 12 safety lock capacity with additional 13<sup>th</sup> lock capacity on front latching mechanism for possible Supervisor control
- ✓ Durable powder coated finish in red colour

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
GPSLBX-R	GROUP LOCK OUT BOX RED	EACH

## PORTABLE LOCK CARRIER



- ✓ Constructed from reinforced nylon injection moulding
- ✓ Can carry up to 12 padlocks and has provisions for wall mounting on to bracket (not included)

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
PLC12	PORTABLE LOCK CARRIER - 12 LOCKS	2

## HEAVY DUTY LOCK OUT TAGS



- ✓ Thick heavy-duty PVC construction
- ✓ 9.5mm brass grommet
- ✓ Width: 75mm Height: 146mm
- ✓ Thickness: 0.5mm

PRODUCT CODE	PRODUCT DESCRIPTION	PACK SIZE
DT01	DANGER TAG	25

## TRAFFOLYTE ENGRAVING AND LASER MACHINERY PLATES

Traffolyte, is a plastic product with multiple layers that is used for engraving. It is most commonly found in industrial environments, due to it's cost-effective and durable properties.

The actual material is called phenolic plastic and it is generally made up of three different layers – a core layer, and two coloured layers. By layering the different colours, when a design on the top layer is engraved away, the other colours will show through.



Send your traffolyte engraving or laser machinery plate enquiry to [sales@halosafety.net.au](mailto:sales@halosafety.net.au)